


PEDERSEN CLARK, P.L.L.C.

08/766651



INTELLECTUAL PROPERTY LAW
Patents, Copyrights, Trademarks

1221 West Hays (83702)
Post Office Box 2666
Boise, Idaho 83701-2666
(208) 343-6355
Fax: (208) 343-6341

Patent Agent
BARBARA S. PEDERSEN

Office Manager
COLETTE HARDESTY

Legal Assistant
ROD SHORT

December 16, 1996

Box Patent Application
Commissioner of Patents and Trademarks
Washington, D.C. 20231

NEW UTILITY PATENT APPLICATION TRANSMITTAL


Transmitted herewith for filing is a utility patent application:

Inventor: Don E. Frantz, D.D.S. and Michael D. Frantz
Title: DISPOSABLE MANDIBULAR ADVANCEMENT APPLIANCE
Atty. File: 1548

Herewith enclosed are the following for the subject application:

- 1) 17 pages of specification including 25 claims;
- 2) Three copies of 4 sheets of drawings; and
- 3) Return postcard.

Respectfully,



Ken J. Pedersen, REG. NO. 29,689

"Express Mail" mailing label number: EM501096485US

I hereby certify that this correspondence and the documents and/or fees referred to as enclosed therein are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" with sufficient postage under 37 CFR 1.10 on the date indicated below and are addressed to: Box Patent Application, Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Name of person mailing documents and/or fee: Ken J. Pedersen

Signature: [Signature]

Date of Deposit: 12/16/96

cc: Michael Frantz, Don Frantz



UTILITY PATENT APPLICATION **08/766651**
Attorney's Docket No: 1548

A/NO file

Certification of Express Mailing (37 C.F.R. Section 1.10)

I hereby certify that this Utility Patent Application is being deposited with the United States Postal Service as "Express Mail Post Office to Addressee" Number EMS01096485US on the date below in an envelope with sufficient postage addressed to: Box Patent Application, Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Printed or Typed Name: Ken J. Pedersen

Signature: *[Signature]*
Date of Deposit: December 16, 1996

Title of Invention: DISPOSABLE MANDIBULAR ADVANCEMENT APPLIANCE

Inventors: Don E. Frantz, D.D.S.
400 Medical Center Blvd. #209
Webster, TX 77598

Michael D. Frantz
1019 E. Foster Ave.
Couer d'Alene, ID 83814

DESCRIPTION

This application is a continuation-in-part of prior, co-pending application, "Elastic Mandibular Advancement Appliance", serial number 08/493,926, filed June 23, 1995, by applicants Michael D. Frantz and Don E. Frantz, D.D.S.

BACKGROUND OF THE INVENTION

Field of the Invention.

This invention relates generally to oral appliances for controlling the position of the human mandible to effect the size of the pharyngeal airway. More specifically, this invention relates to a removable mandibular advancement appliance which pulls the jaw forward and opens the bite vertically. The invention may be used for preventing snoring and obstructive sleep apnea (OSA), for testing the efficacy of such an appliance on snoring or OSA patients, or for keeping the airway open during anesthesia or other situations in which there is a risk of obstruction of the airway due to the position or state of the user. A preferred embodiment of the invention is a disposable appliance that can be conveniently, quickly, and safely used in sleep labs and surgical settings without custom-building the appliance for the individual patient.

Related Art.

It is well documented in the literature that an oral appliance that opens the bite and moves the mandible forward will greatly reduce sleep apnea and snoring. It is believed that such appliances work by opening the airway for greater airflow, by
5 moving the mandible and/or tongue forward to increase the pharyngeal airway space.

Pending U.S. Patent Application, "Elastic Mandibular Advancement Appliance", serial number 08/493,926, filed June 23, 1995, ("Frantz '926") is herein incorporated by reference. In Frantz '926, applicants Don E. Frantz, D.D.S. and Michael D. Frantz disclose a totally adjustable, removable, oral appliance for long-term use as a
10 treatment for snoring and/or OSA. The Frantz '926 mandibular advancement, or positioning, device uses elastic bands to pull the jaw forward and removable bite planes to open the bite.

The Frantz '926 appliance has an upper plastic base shaped to conform to the patient's maxillary dentition (upper teeth), soft tissues and hard palate. Also, the
15 appliance has a lower plastic base shaped to conform to the patient's mandibular dentition (lower teeth), and soft tissues. The lower plastic base has a set of removable posterior occlusal bite planes. The upper surface of the bite planes occlude, that is, come together, with the lower surface of the upper plastic base to open the bite. Different sets of bite planes have slightly different thicknesses, for providing different
20 vertical openings of the mouth from about 8-14 mm to optimize the effect of the appliance. The upper plastic base has a set of outwardly-extending plastic retention hooks, one on the right and one on the left anterior buccal portion. The lower plastic base also has a set of outwardly-extending retention hooks, one on the right and one on the left of the posterior buccal portion. Specially-formed elastic urethane bands, or
25 standard orthodontic elastics, are attached to both the upper and lower retention hooks to pull the mandible forward. Each set of urethane bands may have a slightly different length and different modules of elasticity, for providing different advancement amounts to further optimize the effect of the appliance.

An important object of the Frantz '926 appliance is to provide a custom-fit
30 appliance with high patient acceptance, comfort, and treatment success for a long period of use. The Frantz '926 appliance is preferably custom-molded to fit the patient's dentition, and the elastic bands and bite planes are preferably custom-fit to

optimize the effectiveness of the appliance for each patient. The custom-fitting techniques involve an initial office visit, significant lab work, and at least one follow-up office visit. Due to the elasticity of the bands, the Frantz '926 appliance will not cause the temporomandibular joint problems or unwanted tooth movement or soreness that a rigid appliance would tend to cause after long-term use. If the patient's condition or needs change during long-term use of the appliance, the elastic bands and removable bite planes can be changed to affect both the amount of forward movement of the lower jaw and the amount of vertical bite opening.

What is still needed, however, is a disposable appliance which is effective for short-term use without custom construction or adjustment. A disposable appliance is needed for testing of snoring or sleep apnea patents and for use by anesthesiologists and other medical practitioners needing short-term mandibular advancement. These needs are satisfied by the present invention.

SUMMARY OF THE INVENTION

An object of the present invention is to provide effective, convenient, quick, safe, and reliable mandibular advancement for situations in which the advancement, and the resulting opening of the airway, is needed for shorter periods of time, for example, during several hours of surgery or over-night in a sleep lab. The appliance of the present invention is effective without requiring custom-fitting or expensive lab work, so that the invention may be economically used and disposed of after one use. The present invention is particularly effective as a disposable, economical testing or "titration" device to help medical professionals determine whether a mandibular advancement appliance alleviates the patient's snoring or OSA problems, and whether the added investment in a custom-built appliance would be beneficial. The present invention is also particularly effective as a disposable device for one-time use by anesthesiologists, to prevent a patient's airway from becoming obstructed by the patient's own tongue while under anaesthesia.

Both installation and removal of the invented appliance are quick and straightforward, allowing quick action in preparation for surgery or testing or during an emergency in surgery. The appliance of the present invention comprises two trays, an

upper tray for temporary securement to the user's maxillary dentition, and a lower tray for temporary securement to the patient's mandibular dentition. The appliance also comprises a connection means for connecting the upper and lower trays in a position which pulls the lower tray, and therefore, the mandible, forward relative to the upper tray and the maxilla. Minimal adjustment is needed to obtain an effective advancement of the mandible, and that advancement may be done by a quick movement of preferably a single connector.

The trays are preferably of the general type that may be referred to as bite trays, for holding an impression material, such as silicone putty like Kerr's Citricon TM into which the patient bites. The putty hardens enough against the teeth and gums, and particularly into the undercut areas of the generally bell-shaped teeth, so that the putty acts as the securement means to hold the upper and lower trays in place on the maxillary and the mandibular dentition, respectively, during the testing or surgery. Preferably, bite planes or other spacers extend from either the upper tray or the lower tray, to occlude against the opposite tray to open the bite.

The connection means is preferably engaged, as soon as the securement of the trays to the dentition is accomplished, to pull the mandible forward. The connection means is preferably incrementally adjustable, so that the medical professional may choose one of several "settings" for the connection means, and therefore, one of several amounts of mandibular advancement. The connection may be elastic, however, the preferred connector is generally non-elastic, to prevent significant stretching of the connector by the patient and the consequent backward movement of the mandible that might obscure the testing results or allow the mandible and tongue to fall backward during surgery. Thus, the preferred connection means provides the testing professional or anesthesiologist an adjustable but exact, repeatable and known amount of advancement for the short-term use of the appliance. Precision and repeatability are normally a high priority for these short-term uses, rather than comfort and patient acceptance, which are priorities for long-term applications.

The connection means of the present invention is also preferably a quickly connectable, and quickly removable or releasable connector. Preferably, the connector comprises a single connector or fastener with a single handle for extending out the front of the patient's mouth for easy access. In this way, the technician or

anesthesiologist can quickly install and incrementally adjust the connector for use, and can quickly disconnect the connector in an emergency.

Typically, during sleep-lab testing or surgery, the connector will be adjusted several times. In the sleep-lab, the technician will typically start the testing with the connector in a relatively posterior (rearward) position, that is, pulling the lower tray forward little or none to get a reference point for the patient's response. The technician will then incrementally adjust the connector and lower tray forward to monitor the patient's response. In a surgical application, an anesthesiologist will typically first adjust the connector and lower tray to a relatively anterior (forward) position to ensure the mandible and tongue is advanced during the crucial early stages of anesthesia. During the surgery, the anesthesiologist may release the connector or lock it in a relatively rearward (non-advanced) position. After surgery, the anesthesiologist again may advance the connector and lower tray in preparation for the patient's coming out of anesthesia.

Most adult patient's can be quickly fitted into one of three standard sizes of upper and lower trays. The trays are preferably adapted to flex slightly during the insertion and/or biting steps, to enhance the fit of the standard sizes to the particular size and shape of the patients mouth. Alternatively, the trays may be rigid and therefore offered in a wide variety of sizes to fit many different mouth sizes and shapes.

Once the short-term use of the present invention is over, the connection means may be disconnected and the trays pulled off of the dentition for removal of the appliance from the patient's mouth. The appliance may then be discarded without great loss of investment in time and equipment.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a perspective view of the one embodiment of the invention, showing upper and lower trays and a connector, but with the lower tray not yet pulled forward.

Figure 2 is a perspective view of the embodiment of Figure 1, showing the lower tray pulled forward and the connector engaged to the upper tray.

Figures 3 is a detail perspective view of an embodiment of a securement means for holding the tray on the patient's teeth and soft tissues, that is, impression putty for

being received in an upper tray for being bitten into by the upper teeth of a patient.

Figure 4 is a perspective view of the lower tray and connector of the embodiment of Figure 1 and 2, showing button spacers onto which the connector is attached.

Figure 5A is a top view of the lower tray and connector of the embodiment of Figures 1 and 2.

Figure 5B is a bottom view of the upper tray of the embodiment of Figures 1 and 2, shown without the connector of Figure 5A attached to the upper tray.

Figure 6 is a cross-sectional view of the lower tray of Figure 5A, along the line 6-6 in Figure 5A, showing the button without the pull-strap attached.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

Referring to Figures 1-6, there is shown one, but not the only, embodiment of the invented mandibular advancement appliance 10. Depicted in Figure 1 are upper tray 12 and lower tray 14, without impression putty, but arranged generally as they would be in a patient's mouth before advancement of the lower tray 14 and the mandible. In this description and in the claims, portions of the appliance 10 described as "anterior", "front", or "forward" refer to areas or directions generally near or toward the anterior teeth (front six teeth). The terms "posterior", "rear", or "rearward" refer to areas or directions generally near or toward the posterior teeth (back from the front six teeth).

The trays 12, 14 are generally U-shaped, and each has an anterior portion (hereafter, also called "front portion 26, 28") and left and right side posterior portions (hereafter, also called side portions 36, 36', 38, 38'). The left and right side posterior portions have side troughs 16, 16', 18, 18', and the anterior portions have smaller front troughs 40, 42. Into the troughs are placed ropes of putty 20 (as shown in Figure 3), such as silicone putty, a vinyl polysiloxane impression material, or other impression material, such as may be known now in the dental arts or others developed in the future. The putty 20 preferably extends all the way from the tray left ends 22, 24, around the front portions 26, 28, and to the tray right ends 22', 24'. Upon placement of the putty-filled trays 12, 14 into the patient's mouth, the patient's teeth (not shown)

extend into the troughs 16, 16', 18, 18', 40, 42, and the patient is instructed or caused to bite into the putty 20 in the troughs. The putty 20 moves around the slightly bell-shaped teeth to extend into the teeth undercuts, and hardens around the teeth and against the soft tissues, in order to secure the trays 12, 14 onto the upper and lower teeth and tissues.

The tray front portions 26, 28 are preferably designed to be flexible to an extent that allows each tray to flex near the front portions 26, 28 to conform more accurately to the particular patient's mouth. While it is anticipated that about three standard adult sizes and about three standard pediatric sizes will fit most patients, the additional feature of tray flexing at the tray front 26, 28 helps fit in-between-size or unusually-shaped mouths. To achieve this flexibility, the preferred tray front portions 26, 28 are narrower or flatter than their side portions 36, 36', 38, 38'. That is, the front trough 40, 42 widths are small relative to the side troughs, for holding the putty 20 for the front teeth while not interfering with flexibility of the front walls 44, 46. Thus, the side troughs 16, 16', 18, 18' are wide enough from side wall to side wall to receive the patient's molars, while the front troughs 40, 42 may be just wide enough from side wall to side wall to hold the putty into which bite the front teeth.

An alternative embodiment comprises upper and lower trays with non-flexible, rigid anterior (front) portions. With such an embodiment, the medical professional would be supplied with a large assortment of trays, giving him/her the choice of a wide variety of tray sizes.

An alternative, less preferred embodiment, eliminates the front troughs 40, 42. In such an embodiment, the side troughs and putty comprise the securement means.

Figures 1, 2, 4 and 5A show a connection means that is a single "pull-strap" connector, for pulling and locking the lower tray in a forward position. The pull-strap 50 is generally a Y-shape, with two wings 62, 62' for connection to the lower tray 14 and a handle 64 for connection to the upper tray 12 and for extending forward out of the patient's mouth. The wings 62, 62' each have a ring 66 with a hole for snapping around the buttons 68 located on the left and right upper surfaces of the lower tray 14 about midway along the tray side portions 38, 38'. A pin 70 or other protrusion extends from the front portion 26 of the upper tray 12 to engage in the plurality of holes 72 in the handle 64. As shown in Figure 5A, the line of holes 72 generally

corresponds to incremental adjustments in advancement of the lower tray 14 and the mandible forward relative to the upper tray 12 and the maxilla. By snapping the pull-strap handle 64 up to receive the pin 70, typically in one of the more rearward of the holes 72, the lower tray 14 is locked in place anterior relative to the upper tray 12, until
5 the pull-strap 50 is snapped down off of the pin 70. As shown in Figure 2, when the pull-strap 50 is pulled forward to the more rearward of the holes 72, the front portion 28 of the lower tray can be seen to be significantly forward of the front portion 26 of the upper tray.

In addition to serving as attachment points for the pull-strap 50, the buttons 68
10 serve as spacers or bite planes to separate the trays 12, 14 during use, and therefore, to open the bite of the patient. As discussed above, this further contributes to the opening of the airway of the patient.

In use, the technician or anesthesiologist selects a small, medium, or large tray size for the patient. He/she places a rope of putty 20 in both the upper and lower trays.
15 Optionally, he may first spray an adhesive into the tray to further attach the putty to the trays beyond the degree that the putty will naturally stick to the tray due to its inherent adhesiveness. The lower tray 14 has been previously fitted with a pull-strap 50, by snapping or pushing the rings 66 down around the buttons 68. Both trays are then inserted into the patient's mouth, and the patient bites down into the putty. After
20 sufficient time for the putty to adequately set up, typically about a minute, the pull-strap 50 is pulled forward and locked on the upper tray pin 70 at a position desired by the technician or anesthesiologist. This position may be adjusted as desired to increase or decrease the amount of advancement.

Optionally, the appliance may be pre-fitted to the patient by a nurse or
25 technician several minutes or hours before the testing or surgery, removed from the patient after the putty has hardened, and then reinserted just prior to testing or surgery. For this reinsertion, the medical professional may also apply a spray-on adhesive on the surface of the hardened putty before reinsertion into the patient's mouth, to further enhance the securement of the putty to the teeth.

Various putty materials and methods of handling the putty may be used, but the
30 preferred embodiment comprises improved putty packaging and methods of handling. Silicone putty is provided in a single-use amount and packaged in a single flexible

pouch along with a vial or capsule of accelerator. In this embodiment, the user obtains the single pouch, releases the accelerator by breaking open the vial by a quick snap of the vial through the material of the pouch, kneads the accelerator into the putty to get thorough mixing. The user then cuts or zips open the pouch and squeezes out the
5 putty to form two ropes for the trays.

The invented appliance 10 may be made by various methods, preferably by injection molding of plastic such as acrylic or PETG. The Pin 70 may be a protrusion extending integrally from the molded material, or, alternatively, may be part of a separate piece 74 bonded onto the front wall 44 of the upper tray, for example. The
10 pull-strap 50 may be made of thick urethane, for example, to make the pull-strap 50 resilient enough to snap onto and off of the buttons 68 and the pin 70, but not elastic enough to allow significant stretching of the pull-strap by the patient during use.

Optionally, all interior surfaces of the trays may be texturized. All trough interior surfaces and surfaces that may be contacted by the impression material may be
15 texturized to better bond with the impression material.

Alternatively, other connection means may be used to lock the lower tray to the upper tray in an advanced position. For example, a cord may connect to the lower tray on both buccal sides of the lower tray and may extend up to attach to a forward protrusion of the upper tray by hooking into one of several notches in a surface of the
20 forward protrusion. Other connection means may include a plurality of fasteners and may include fasteners that range from elastic to rigid, but the described preferred connection means is very effective because of its simplicity and ease of use, and because it does not stretch to create an unknown amount of advancement. The described preferred connection means is also easy to use because it consists of only a
25 single part that attaches easily to both sides of the lower tray to pull the lower tray forward uniformly. The preferred connection means is controlled by a single handle from outside the patient's mouth and with a single action of the hand. Preferably, but not necessarily, the single connector handle extends at least one inch forward from the front portion of the upper tray, even when the connector is adjusted to its rearmost
30 position, for easy access by the medical professional.

The buttons 68 are preferably an integral part of the lower tray, rather than being removable and changeable. Optionally, the pull-strap 50 may be integral with

the lower tray, and need not be removed from the lower tray for the short-term use of the invention. Alternatively, the buttons may be attached to the tray by some method that would not pose the risk of the buttons tearing off during use.

Although this invention has been described above with reference to particular
5 means, materials and embodiments, it is to be understood that the invention is not limited to these disclosed particulars, but extends instead to all equivalents within the scope of the following claims.

CLAIMS

I claim:

1. An oral mandibular advancement appliance comprising:

an upper tray comprising an anterior portion, and left and right side posterior portions having troughs for receiving a patient's posterior maxillary teeth;

a lower tray comprising an anterior portion, and left and right side posterior portions having troughs for receiving the patient's posterior mandibular teeth;

a securement means received in said upper tray troughs and said lower tray troughs for securing the trays to said maxillary and mandibular teeth, respectively, the securement means comprising impression material; and

a connection means, extending between the anterior portion of said upper tray and a posterior portion of said lower tray, for pulling the lower tray forward relative to the upper tray and moving a patient's mandible forward to an advanced position.

2. An oral mandibular advancement appliance as set forth in Claim 1, wherein the upper tray anterior portion has a trough, for receiving a patient's anterior maxillary teeth, having a lesser width than the width of said upper tray posterior portion troughs, and wherein said lower tray anterior portion has a trough, for receiving a patient's anterior mandibular teeth, having a lesser width than the width of said lower tray posterior portion troughs.

3. An oral mandibular advancement appliance as set forth in Claim 1, wherein said lower tray has a posterior upper surface and said upper tray has a posterior lower surface, and the lower tray further comprises a spacer extending up from said lower tray posterior upper surface for occluding with said upper tray posterior lower surface.

1 4. An oral mandibular advancement appliance as set forth in Claim 3, wherein the
2 connection means is attached to said lower tray spacer.

1 5. An oral mandibular advancement appliance as set forth in Claim 1, wherein
2 said lower tray has left and right posterior upper surfaces and said upper tray has left
3 and right posterior lower surfaces, and wherein the connection means comprises a
4 generally Y-shaped pull-strap, having left and right wings attached to said lower tray
5 left and right posterior upper surfaces, and having a handle extending forward from
6 said wings and removably connected to said upper tray anterior portion.

1 6. An oral mandibular advancement appliance as set forth in Claim 5,
2 wherein the lower tray further comprises left and right spacers extending up from said
3 lower tray left and right posterior upper surfaces and engaging said pull-strap wings to
4 attach said pull-strap to said lower tray left and right posterior upper surfaces, and said
5 spacers being for occluding with said upper tray left and right posterior lower surfaces.

1 7. An oral mandibular advancement appliance as set forth in Claim 5, wherein the
2 upper tray anterior portion comprises a protruding pin, and wherein said pull-strap
3 handle comprises a plurality of holes for receiving the protruding pin for adjusting the
4 amount of forward advancement of the lower tray.

1 8. An oral mandibular advancement appliance as set forth in Claim 1, wherein
2 said upper tray has a flexible anterior portion for allowing the upper tray to be flexed to
3 move the upper tray left and right side posterior portions toward or away from each
4 other.

1 9. An oral mandibular advancement appliance as set forth in Claim 1, wherein
2 said lower tray has a flexible anterior portion for allowing the lower tray to be flexed to
3 move the lower tray left and right side posterior portions toward or away from each
4 other.

1 10. An oral mandibular advancement appliance as set forth in Claim 1, wherein
2 said upper tray has a non-flexible anterior portion, and is provided in a wide variety of
3 sizes.

1 11. An oral mandibular advancement appliance as set forth in Claim 1, wherein
2 said lower tray has a non-flexible anterior portion, and is provided in a wide variety of
3 sizes.

1 12. An oral mandibular advancement appliance as set forth in Claim 1, wherein all
2 interior surfaces of said lower tray are texturized for securement of said impression
3 material to said lower tray.

1 13. An oral mandibular advancement appliance as set forth in Claim 1, wherein all
2 interior surfaces of said upper tray are texturized for securement of said impression
3 material to said upper tray.

1 14. An oral mandibular advancement appliance as set forth in Claim 1, wherein the
2 connection means has a handle extending forward from the anterior portion of said
3 upper tray, for engaging the connection means from external to a patient's mouth.

4 15. An oral mandibular advancement appliance as set forth in Claim 1, wherein the
5 upper tray has an anterior portion, and wherein the connection means comprises a
6 handle protruding at least one inch forward from the upper anterior portion, for
7 protruding from a patient's mouth.

1 16. An oral mandibular advancement appliance comprising:

2 an upper tray comprising an anterior portion, and left and right side posterior portions
3 having troughs for receiving a patient's posterior maxillary teeth, and a flexible anterior
4 portion for allowing the upper tray to be flexed to move the upper tray left and right side
5 posterior portions toward or away from each other;

6 a lower tray comprising left and right side posterior portions having troughs for
7 receiving the patient's posterior mandibular teeth and comprising a flexible anterior
8 portion for allowing the lower tray to be flexed to move the lower tray left and right side
9 posterior portions toward or away from each other;

10 a securement means received in said upper tray troughs and said lower tray troughs
11 for securing the trays to said maxillary and mandibular teeth, respectively; and

12 a connection means, extending between the anterior portion of said upper tray and the
13 posterior portion of said lower tray, for pulling the lower tray forward relative to the
14 upper tray and moving a patient's mandible forward to an advanced position.

1 17. An oral mandibular advancement appliance as set forth in Claim 16, wherein
2 said lower tray has a posterior upper surface and said upper tray has a posterior lower
3 surface, and the lower tray further comprises a spacer extending up from said lower
4 tray posterior upper surface for occluding with said upper tray posterior lower surface.

1 18. An oral mandibular advancement appliance as set forth in Claim 17, wherein
2 the connection means is attached to said lower tray spacer.

1 19. An oral mandibular advancement appliance as set forth in Claim 16, wherein
2 said lower tray has left and right posterior upper surfaces and said upper tray has left
3 and right posterior lower surfaces, and wherein the connection means comprises a
4 generally Y-shaped pull-strap, having left and right wings attached to said lower tray
5 left and right posterior upper surfaces, and having a handle extending forward from
6 said wings and removably connected to said upper tray anterior portion.

1 20. An oral mandibular advancement appliance as set forth in Claim 19,
2 wherein the lower tray further comprises left and right spacers extending up from said
3 lower tray left and right posterior upper surfaces and engaging said pull-strap wings to
4 attach said pull-strap to said lower tray left and right posterior upper surfaces, and said
5 spacers being for occluding with said upper tray left and right posterior lower surfaces.

6 21. An oral mandibular advancement appliance as set forth in Claim 19, wherein
7 the upper tray anterior portion comprises a protruding pin, and wherein said pull-strap
8 handle comprises a plurality of holes for receiving the protruding pin for adjusting the
9 amount of forward advancement of the lower tray.

1 22. A method of enlarging a pharyngeal airway space comprising inserting into a
2 patient's mouth an oral mandibular advancement appliance comprising:

3 an upper tray comprising an anterior portion, and left and right side posterior portions
4 having troughs for receiving a patient's posterior maxillary teeth;

5 a lower tray comprising an anterior portion, and left and right side posterior portions
6 having troughs for receiving the patient's posterior mandibular teeth;

7 a securement means received in said upper tray troughs and said lower tray troughs
8 for securing the trays to said maxillary and mandibular teeth, respectively, the
9 securement means comprising impression material; and

10 a connection means, extending between the anterior portion of said upper tray and a
11 posterior portion of said lower tray, for pulling the lower tray forward relative to the
12 upper tray and moving a patient's mandible forward to an advanced position.



1 23. A method as set forth in Claim 22, wherein the upper tray anterior portion has a
2 trough having a lesser width than the width of said upper tray posterior portion troughs,
3 and wherein said lower tray anterior portion has a trough having a lesser width than
4 the width of said lower tray posterior portion troughs.

1 24. A method as set forth in Claim 22, further comprising administering anesthesia
2 to the patient.

1 25. A method as set forth in Claim 22, further comprising incrementally adjusting
2 said connection means to increase and decrease advancement of the lower tray for
3 testing effects of the mandibular advancement appliance on the patient.

ABSTRACT

5 A mandibular advancement, or positioning, device for short-term or one-time
use is described. The appliance has an upper tray and a lower tray holding
impression material, into which the patient bites. The impression material, and
optional adhesive, serve as a way to secure the trays to the patient's upper and lower
teeth, and, therefore, to the patient's maxilla and mandible. Preferably, the front
10 portions of the trays are bendable or flexible, for allowing the use of just a few sizes of
trays for all patients. A connector is attached to a rear area of the lower tray and
adjustably connects to the upper tray at or near the center of the upper tray front area,
so that the connector easily may be manually pulled forward and temporarily locked in
place to advance the mandible. The device may also include spacers or bite planes
15 for opening the patient's bite. The device is particularly useful for short-term use in
applications which do not require long-term comfort and durability, such as sleep-lab
testing of the usefulness of mandibular advancement in treating a particular patient, or
as a step in surgical anesthesia to enlarge a patient's pharyngeal airway space.

[illegible][illegible]





Fig. 3

*Fig. 4*




Fig. 5B




Fig. 5A




Fig. 6

00766651-1-00000000




Fig. 1








Fig. 2





08/766651




Fig. 1




Fig. 2

08/766651 12/16/96




Fig. 3




Fig. 4




Fig. 5B




Fig. 5A




Fig. 6

08/766651



COMBINED DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION - Joint Inventors

Attorney Docket No. 1548

As a below-named inventor, I hereby declare that:

Inventorship

My residence, post office address, and citizenship are as stated below next to my name. I believe I am an original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled DISPOSABLE MANDIBULAR ADVANCEMENT APPLIANCE, the specification of which:

_____ is attached hereto.

X was filed on December 16, 1996 as Application Serial No. 08/766651.

Review of Patent Application

I hereby state that I have reviewed and understand the contents of the above identified specification and drawings, if any, including the claims, as amended by any amendment referred to above.

Duty to Disclose

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, section 1.56.

Claim of Priority: Foreign

I hereby claim foreign priority benefits under Title 35, United States Code, section 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign applications for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s):

number	country	day/month/year filed	priority claimed:	
			yes	no
n/a	_____	_____	_____	_____
_____	_____	_____	_____	_____

Claim of Priority: United States

I hereby claim the benefit under Title 35, United States Code, section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, section 112, I acknowledge the duty to disclose material information as defined by Title 37, Code of Federal Regulations, section 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Prior United States Application(s):

application serial no.	filing date	status (patented, pending, abandoned)
<u>08/493,926</u>	<u>June 23, 1995</u>	<u>Pending</u>

Power of Attorney

I hereby appoint the following attorney as my agent to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: Ken J. Pedersen, Registration No. 29,689, P.O. Box 2666, Boise, Idaho, 83701-2666.

All correspondence and all telephone communication should be addressed to:

Ken J. Pedersen
Pedersen & Company, PLLC
P.O. Box 2666
Boise, Idaho, 83701-2666
Telephone: (208) 343-6355
Facsimile: (208) 343-6341

Declaration

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

100 Name of Inventor Don E. Frantz, D.D.S.
Residence (Town-State-Country) Webster, Texas, USA TX
Citizenship United States of America
Post Office Address 400 Medical Center Blvd. #209
Webster, TX 77598
Signature Don E. Frantz, D.D.S. Date 3-17-97

200 Name of Inventor Michael D. Frantz
Residence (Town-State-Country) Coeur d'Alene, Idaho, USA ID
Citizenship United States of America
Post Office Address 1019 E. Foster
Coeur d'Alene, ID 83814
Signature Michael D. Frantz Date 3-25-97



Attorney's File Number: 1548
Inventor or Patentee: Don E. Frantz, D.D.S. and Michael D. Frantz
Serial or Patent No.: 08/766651 Filed or Issued: 12/16/96
Title: DISPOSABLE MANDIBULAR ADVANCEMENT APPLIANCE

**VERIFIED STATEMENT (DECLARATION) CLAIMING:
SMALL ENTITY STATUS (37 CFR 1.9(f) and 1.27(b))
INDEPENDENT INVENTOR(S)**

Small Entity

As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention entitled DISPOSABLE MANDIBULAR ADVANCEMENT APPLIANCE described in:

_____ the specification filed herewith,
☒ application serial no. 08/766651 filed 12/16/96
_____ patent no. _____ issued _____

Assignment to Small Entities

I have not assigned, granted, conveyed, or licensed and am under no obligation under contract or law to assign, grant, convey, or license, any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

☒ no such person, concern, or organization
_____ persons, concerns or organizations listed below (Separate verified statements are required for each person, concern, or organization averring to their status as small entities (37 CFR 1.27)):

Full Name: n/a
Address: _____
_____ individual, _____ small business concern, _____ nonprofit organization

Full Name: n/a
Address: _____
_____ individual, _____ small business concern, _____ nonprofit organization

Duty to File Change in Status

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate (37 CFR 1.28(b)).

Declaration

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Name of Inventor: Don E. Frantz, D.D.S.

Signature of Inventor: *Don E. Frantz D.D.S.* Date: - 3-17-97

Name of Inventor: Michael D. Frantz

Signature of Inventor: *Michael D. Frantz* Date: - 3-25-97

[Frantz/1548.Small Entity Stmt-MDF]